

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	264	bend\$5 near3 knee.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 11:51
L2	55	1 and (thigh).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 11:53
L3	32	2 and (body housing frame casing ).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 11:53
L4	2	3 and (bone ).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 11:53
L5	274	(leg\$4 ) near3 (shock\$4 impact\$4 collision collide colliding ).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:08
L6	2	5 and (bend\$5 near3 knee).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:10
L7	3188	(leg\$4 ) near3 (shock\$4 impact\$4 collision collide colliding )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 11:52
L8	83	7 and (bend\$5 ) near3 (limb joint knee)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 11:52
L9	28	8 and (thigh)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:11

L10	22	9 and (body housing frame casing )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:11
L11	6	10 and (bone )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 11:55
L12	3	11 and (gauge sens\$4 detect\$4 transducer measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:11
L13	7	(gauge sens\$4 detect\$4 transducer measur\$4 monitor\$4 ) near3 (bone) near3 (core)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:07
L14	5668	(leg\$4 limb ) near3 (shock\$4 impact\$4 collision collide colliding strik\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:10
L15	723	14 and ( knee)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:10
L16	187	15 and (thigh)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:11
L17	9	16 and (body housing frame casing ) near3 (bone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:16
L18	9	17 and (gauge sens\$4 detect\$4 transducer measur\$4 cell accelerometer )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:11
L19	9	17 and (gauge sens\$4 detect\$4 transducer measur\$4 cell accelerometer monitor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:16

L20	152	16 and (body housing frame casing )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:16
L21	4	20 and (gauge sens\$4 detect\$4 transducer measur\$4 cell accelerometer monitor\$4) near3 (bone )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:17
L22	105	20 and (gauge sens\$4 detect\$4 transducer measur\$4 cell accelerometer monitor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:18
L23	39	22 and (bone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:18